

SCHUKO-TYPE

50/60 Hz industrial plugs and sockets

IP44 Schuko-type sockets



IP44 flush-fit socket



IP44 wall socket

Current	Poles	Volt. (V)	Time code	Reference No.	Reference No.
16A	2P+E	250	-	00101 00102	00103 00104

Sockets with screw terminal and lateral contact.

IP54 Schuko-type sockets



IP54 socket with shutter

With screw terminal
Type: SK54 LAT/CT



IP54 French socket with shutter

With screw terminal
Type: SK54 PIN/CT

With screwless
terminal

Current	Poles	Volt. (V)	Time code	Reference No.	Reference No.	Reference No.	Reference No.
16A	2P+E	250	-	00456 00452	- 00402	- 00464	- 00414

IP67 / IP68 Schuko-type sockets and plugs



IP67 flush-fit socket*

IP67 wall socket*

IP68 wander socket

IP67 wander plug

Current	Poles	Volt. (V)	Time code	Reference No.	Reference No.	Reference No.	Reference No.
16A	2P+E	250	-	00105 00164	00135 -	00118 -	00114 -

See dimensions on pages: 302 - 303.

* Ref. 00105-00135 with lateral contact. Ref. 00164 with type-PIN contact.

IP44 rubber sockets and plugs



IP44 rubber wander plug*

IP44 rubber wander socket*

IP44 multiple rubber socket

Current	Poles	Volt. (V)	Time code	Reference No.	Reference No.	Reference No.
16A	2P+E	250	-	00115 00115/F	00125 00125/F	00130 -

* Ref. 00115 and 00125 with lateral contact. Ref. 00115/F and 00125/F with type-PIN contact.

IP44 combo sockets and plugs



IP44 combo sockets

IP44 combo plugs

Current	Poles	Voltage (V)	Time code	Reference No.	Reference No.
16A	2P+E	200/250	6	00211	00121
	3P+E	380/415	6	00312	-
	3P+N+E	300/346 - 240/415	6	00313	00123
32A	2P+E	200/250	6	00214	-
	3P+E	380/415	6	00315	-
	3P+N+E	300/346 - 240/415	6	00316	-

IP44 multiple socket



Current	Poles	Voltage (V)	Time code	Reference No.
16A	2P+E	230	6	1 plug + 3 sockets 00140

Data socket



Description	Reference No.
Network socket housing (for two RJ45 sockets). 50x50 mm	00145
Network socket connector 6A Keystone Jack RJ45 STP	00146

Both references must be requested to obtain the full set.


See dimensions on pages: 304 - 305.

SCHUKO-TYPE

50/60 Hz industrial plugs and sockets dimensions


DIMENSIONS

IP44 Schuko-type flush-fit socket




Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	62	50	40

IP44 Schuko-type wall socket



Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	66	54	54


IP54 Schuko-type flush-fit sockets with shutter and screw terminal



Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	60	50	44

Flush-fit gap: $\varnothing 4^{+0}_{-0.5}$


IP54 Schuko-type flush-fit sockets with shutter and screwless terminal



Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	60	50	49

Flush-fit gap: $\varnothing 4^{+0}_{-0.5}$

IP54 Schuko-type French-type sockets with shutter and screw terminal




Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	60	50	44

Flush-fit gap: $\varnothing 4^{+0}_{-0.5}$

IP
44IP
54IP
67IP
68

CE


IP54 Schuko-type French-type sockets with shutter and screwless terminal



Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	60	50	49


Flush-fit gap: $\varnothing 4^{+0}_{-0.5}$

IP67 Schuko-type flush-fit sockets




Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	83	66	58

IP67 Schuko-type wall sockets




Current	Poles	Dimensions		
		HEIGHT	WIDTH	DEPTH
16A	2P+E	96	87	120

IP68 Schuko-type wander socket



Current	Poles	Dimensions	
		LENGTH	Ø
16A	2P+E	130	66

IP67 Schuko-type wander plug




Current	Poles	Dimensions	
		LENGTH	Ø
16A	2P+E	124	66

SCHUKO-TYPE


50/60 Hz industrial plugs and sockets dimensions

IP44 rubber wander plug




Current	Poles	Dimensions	
		LENGTH	Ø
16A	2P+E	99	42

IP44 rubber wander socket




Current	Poles	Dimensions	
		LENGTH	Ø
16A	2P+E	94	52

IP44 multiple rubber socket




Current	Poles	Dimensions	
		LENGTH	HEIGHT
16A	2P+E	172	146

IP44 multiple socket




Current	Poles	Dimensions	
		LENGTH	HEIGHT
16A	2P+E	240	223

IP44 combo socket



Current	Poles	Dimensions		
		A	B	M
16A	2P+E	175	127	3x25
	3P+E	176	130	3x25
	3P+N+E	176	133	3x25
32A	2P+E	188	136	3x25
	3P+E	188	136	3x25
	3P+N+E	188	141	3x25

IP44 combo plug



Current	Poles	Dimensions			
		A	B	C	D
16A	2P+E	134	96	65	47
	3P+N+E	133	96	74	61

Data socket

